

SAFETY DATA SHEET

1. IDENTIFICATION OF MATERIAL AND SUPPLIER

Product Name: Britex Odour Blaster

Other Names:

Recommended Use:

Carpet treatment for odour removal

Restrictions on Use:

Supplier:

Britex Carpet Care P/L

ABN:

80 093 729 787 Street Address:

Telephone Number:

Unit 10, 25-27 Chapman St Blackburn Nth VIC 3130 AUSTRALIA +61 3 8892 4800

Facsimile Number: +61 3 9899 8533

Emergency Telephone No: 1800 804 973

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Based on available information,

HAZARDOUS ACCORDING TO CRITERIA OF THE GLOBALLY HARMONISED SYSTEM OF

CLASSIFICATION AND LABELLING OF CHEMICALS

Based on available information,

the material is:

the material is:

NOT CLASSIFIED AS DANGEROUS GOODS ACCORDING TO AUSTRALIAN DANGEROUS

GOODS (ADG) CODE

Classification: Serious Eye Damage - Category 1

Hazard Pictograms:



Signal Word: **DANGER**

Hazard Statement(s): H318 Causes serious eye damage.

Precautionary Statements:

Wear protective gloves and eye protection. P280

P310 Immediately call a POISON CENTER or doctor/physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Other hazards which do not result in classification: None Identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENTS	CAS No. Proportion
Ingredients not classified as hazardous	to 100.0%
Fatty Alcohol Ethoxylate	68131-39-5 <5%
Perfume	Proprietry <1%

Britex Odour Blaster Page 1 of 5 18/01/2018

4. FIRST AID MEASURES

For advice, contact Poisons Information Centre (phone Australia 13 1126) or a doctor.

Description of First Aid Measures:

Inhalation: Inhalation not an expected exposure route, however, remove from source of exposure to fresh air.

Seek medical assistance if effects persist.

Skin Contact: Wash skin thoroughly with water.

Eye Contact: Irrigate with copious quantities of water for at least 15 minutes and seek medical attention if effects

persist.

Ingestion: Immediately remove product from the mouth, rinse and give water to effectively dilute the product.

Rinse mouth thoroughly with water immediately. Seek medical advice.

Symptoms caused by

exposure:

See Section 11

Medical Attention and Special

Treat symptomatically.

Treatment (note to physician):

5. FIRE FIGHTING MEASURES

Specific hazards arising from chemical/mixture:

Non-combustable material. Product may emit oxygen in a fire, which may support combustion of

nearby material.

Precautions for firefighters and special protective

and special protective equipment:

The product is non-combustible, however, the packaging material may burn to emit noxious fumes. Fire fighters should wear self-contained breathing apparatus to minimise risk of exposure to vapour or

products of combustion.

Suitable extinguishing

equipment:

Extinguish fires using whatever material is suitable for the primary cause of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Spillages are slippery. Keep spectators away -- rope off the area. DO NOT absorb with sawdust, paper or any other combustable material. Any cloth rags used in clean up must be thouroughly rinsed

before disposal. Do not permit to dry out.

Environmental precautions: See Section 12

Methods and materials for containment and clean up:

Absorb with dry earth, sand or a similar material. Shovel up and dispose of in an area approved by local authority by-laws. Small spillages may be safely mopped up or flushed to drain with water, if

permitted.

7. HANDLING AND STORAGE

Precautions for safe handling: Wear eye/ face protection. Keep out of reach of children.

Conditions for safe storage

including any incompatabilities:

Keep in a cool, well ventilated place away from foodstuffs.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

National Exposure Standards: No value assigned for this specific material under the Work Health and Safety (WHS) Regulations.

Biological Monitoring: No Biological limit allocated.

Engineering Controls: Natural or local exhaust ventilation should be adequate under normal conditions.

Personal ProtectiveCobserve good standards of hygiene and cleanliness. Safety glasses and rubber gloves are recommended as a precautionary measure.

Britex Odour Blaster Page 2 of 5 18/01/2018

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Cloudy Liquid

Odour: Lemon odour

pH: 8.0 - 9.0 (neat)

Specific Gravity or Density: 1.00 g/mL

Vapour Pressure: Data Not Available

Percent Volatiles:

Boiling Point Range:

Freezing/ Melting Point:

No Data Available
About 100°C
About 0°C

Solubility: Miscible with water.
Flash Point: No known fire hazard.
Flammability Limits: Non-Flammable
Auto-Ignition Temperature: No Data Available

Shelf Life: 2 years from date of manufacture (when stored as directed)

Other: none

10. STABILITY AND REACTIVITY

Reactivity: Under normal storage conditions and use, hazardous reactions should not occur.

Chemical Stability: Stable under normal conditions of use.

Conditions to avoid: Avoid contact with foodstuffs. Incompatible Materials: No information available

Hazardous Decomposition

Products: The packaging material may burn to emit noxious fumes.

Hazardous Reactions: Oxygen gas may be emitted if involved in a fire. Oxygen will sustain further combustion.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

COMPONENT INFORMATION:

Information on routes of exposure:

Ingestion: Ingestion will cause nausea, vomiting, abdominal pain and chemical burns to the mouth, throat and

stomach

Eye Contact: Causes serious eye damage. Eye contact will cause stinging, blurring, lacrimation, severe pain and

chemical burns and possible corneal damage.

Skin Contact: Skin contact will result in irritation.

Inhalation: Inhalation not an expected exposure route.

Toxicological Information:

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Fatty Alcohol Ethoxylate	1,650 - 2,000 mg/kg	>2,000 mg/kg	No Data Available
Perfume	No Data Available	No Data Available	No Data Available

Britex Odour Blaster Page 3 of 5 18/01/2018

PRODUCT INFORMATION:

Skin Corrosion/Irritation: No toxicological data available for the product
Serious Eye Damage/ Irritation: No toxicological data available for the product

Respiratory Sensitisation: No toxicological data available for the product

Skin Sensitisation: No toxicological data available for the product

Germ Cell Mutagenicity: No toxicological data available for the product

Carcinogenicity: No toxicological data available for the product

Reproductive Toxicity: No toxicological data available for the product

STOT- single exposure: No toxicological data available for the product

STOT- repeated exposure: No toxicological data available for the product

Aspiration Hazard: No toxicological data available for the product

12. ECOLOGICAL INFORMATION

Ecotoxicity: Avoid contaminating waterways.

Persistence and Degradability: Surfactants are readily biodegradable to AS4351.

Bioaccumulation Potential: No data available

Mobility in Soil: No data available

Other adverse effects: None.

13. DISPOSAL CONSIDERATIONS

Safe handling and disposal

methods:

Dispose of material through a licensed waste contractor. Empty container is recyclable where facilities exist. Otherwise dispose to approved landfill.

Special precautions for landfill

or Incineration:

The product is suitable for disposal by landfill through an approved agent. Incineration of product is not recommended, as it is unlikely to adequately burn.

14. TRANSPORT INFORMATION

ROAD & RAIL TRANSPORT: Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG

Code) for transport by Road and Rail.

MARINE TRANSPORT: Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods

Code (IMDG Code) for transport by sea.

AIR TRANSPORT: Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA)

for transport by air.

Britex Odour Blaster Page 4 of 5 18/01/2018

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations
Poisons Schedule:
APVMA Status:
Not relevant
TGA Status:
Not relevant

AICS Status: All the constituents of this product are listed on AICS.

AQIS Status: Not relevant Other: Not relevant

16. OTHER INFORMATION.

SDS Issue date: 18/01/2018 Issue Number: 3

Reason for issue New GHS format and Name update

In any event, the review and, if necessary, the re-issue of this SDS shall be no longer than 5 years after the last date of issue.

Legend:

Legena.	
AICS	Australian Inventory of Chemical Substances
APVMA	Australian Pesticides and Veterinary Medicines Authority
AQIS	Australian Quarantine and Inspection Service
AS	Australian Standard (as issued by Standards Australia)
SDS	Safety Data Sheet
ASCC	Australian safety and Compensation Council
STEL	Short Term Exposure Limit - A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TGA	Therapeutic Goods Administration
TLV	Threshold Limit Value - TLV is a proprietary name registered by the American Conference of Governmental Industrial Hygienists (ACGIH) and refers to airborne concentrations of substances or levels of physical agents to which it is believed that nearly all workers may be repeatedly exposed day after day without adverse effect.
TWA	Time Weighted Average - The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.

This SDS has been prepared from current technical data and summarises at the date of issue our best knowledge of the health and safety information of the product, and in particular how to safely handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

This SDS may only be reproduced in full. Summaries or excerpts from this SDS may not contain all the relevant information and thus are not permitted.

End of SDS

Britex Odour Blaster Page 5 of 5 18/01/2018